

## General Purpose CFL Bulbs

### List of Qualifications

1. All light bulb manufacturers must:
  - a. Provide for the bulb a published specification sheet (.pdf).
  - b. Provide a minimum 2 Year Warranty.
  
2. All light bulbs must:
  - a. Have Energy Star certification.
  - b. Meet a minimum 10,000 life hours.
  - c. Meet a minimum efficacy rating of 65 lumens per watt (LPW).
  - d. Meet a correlated color temperature (CCT) of 2700K.
  - e. Meet a minimum light output of 800 lumens.

You can electronically highlight and label, as shown in the first example that follows.

Or, feel free, to print off your spec sheet and highlight and label by hand, as shown in the second example that follows.

For Demonstration Only



For Demonstration Only

# CFL LAMP

## SPECIFICATIONS

### Ideal For

General Purpose

Soft White  
2700K

### Features

- FCC Compliant
- RoHS Compliant
- 2 Year Warranty 1.b.
- Soft White
- Energy Star® 2.a.
- Contains Post Consumer Recycled Material

### Benefits

- Energy Efficient: Up to 78% less energy than standard incandescent
- Low Heat
- Durable
- Long Life



### Specifications

Item Number	Input Power (Watts)	Incandescent Equiv. (Watts)	Input Line Voltage
ESL13T/2	13	60	120
Base Type	Lumens	Lumen Efficiency (LPW)	CCT
E26 (Medium)	900 2.e.	69 2.c.	2700K 2.d.
MOL	Diameter	Life Hours	
4.3"	1.86"	10,000 2.b.	



For Demonstration Only

# CFL LAMP

## SPECIFICATIONS

### Ideal For

General Purpose

Soft White  
2700K

### Features

- FCC Compliant
- RoHS Compliant
- 2 Year Warranty *1.b.*
- Soft White
- Energy Star® *2.a.*
- Contains Post Consumer Recycled Material

### Benefits

- Energy Efficient: Up to 78% less energy than standard incandescent
- Low Heat
- Durable
- Long Life



### Specifications

Item Number	Input Power (Watts)	Incandescent Equiv. (Watts)	Input Line Voltage
ESL13T/2	13	60	120
Base Type	Lumens	Lumen Efficiency (LPW)	CCT
E26 (Medium)	900 <i>2.e.</i>	69 <i>2.c.</i>	2700K <i>2.d.</i>
MOL	Diameter	Life Hours	
4.3"	1.86"	10,000 <i>2.b.</i>	